

**DeCA DESIGN CRITERIA HANDBOOK
COMMISSARY DOOR SCHEDULE**

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
1 Entry Vestibule	Sales Area	A		48"	Aluminum and Glass	<ul style="list-style-type: none"> ▪ Emergency breakaway feature ▪ Automatic door operator ▪ Provide standard 10'-0" wide door package with operable sidelights (105" egress width) ▪ Consider fixed sidelights if required egress can be obtained and acceptable to DeCA Project Manager (note that at least one door shall remain full breakout type) ▪ Position doors for compliance with UFC 4-010-01 requirements
2 Exit Vestibule	81 Checkout	A		48"	Aluminum and Glass	<ul style="list-style-type: none"> ▪ Emergency breakaway feature ▪ Automatic door operator ▪ Provide standard 10'-0" wide door package with operable sidelights (105" egress width) ▪ Consider fixed sidelights if required egress can be obtained and acceptable to DeCA Project Manager (note that at least one door shall remain full breakout type). ▪ Provide protection posts ▪ Position doors for compliance with UFC 4-010-01 requirements
3 Cart Return Vestibule	81 Checkout	A		48"	Aluminum and Glass	<ul style="list-style-type: none"> ▪ Emergency breakaway feature ▪ Automatic door operator ▪ Provide standard 10'-0" wide door package with operable sidelights (105" egress width) ▪ Consider fixed sidelights if required egress can be obtained and acceptable to DeCA Project Manager (note that at least one door shall remain full breakout type). ▪ Provide protection posts ▪ Position doors for compliance with UFC 4-010-01 requirements
4 Cashier's Office	5 Cash Counting Room	H		42"	Steel	<ul style="list-style-type: none"> ▪ 12" x 12" laminated vision window ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame ▪ Storeroom Function Mortise Lockset with key side in RM. 5 ▪ Kick plate (push side) ▪ Increased door width required to accommodate passage of safe
5 Cash Counting Room	81 Checkout	C		42"	Steel or Solid Core Wood	<ul style="list-style-type: none"> ▪ Storeroom Function Mortise Lockset with key side in RM. 81 with electric door strike controlled from Cashier's Office ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame ▪ Kick plate (push side) ▪ Increased door width required to accommodate

**DeCA DESIGN CRITERIA HANDBOOK
COMMISSARY DOOR SCHEDULE**

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
5	Cash Counting Room Cont.					passage of safe ▪ No vision window into this room (cash counting)
6A	Customer Service	5	Cash Counting Room	C		36" Steel or Solid Core Wood ▪ Storeroom Function Mortise Lockset with key side in RM. 6 ▪ Kick plate (push side) ▪ No vision window into this room (cash counting) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
6B	Customer Service Office	81	Checkout	E		36" Steel or Solid Core Wood ▪ Horizontal Blinds on Door Vision Window
9	Family Restroom	69	Sales Area	C		36" Steel or Solid Core Wood ▪ Kick plate (both sides)
10	Customer Restroom (Men)	69	Sales Area	CL		36" Steel or Solid Core Wood ▪ Kick plate (push side) ▪ Door Louver
11	Customer Restroom (Women)	69	Sales Area	CL		36" Steel or Solid Core Wood ▪ Kick plate (push side) ▪ Door Louver
12	Store Director's Office	15	Administrative Area	CSL		36" Steel or Solid Core Wood ▪ 12" wide sidelight w/ horizontal blinds
13	Administrative Entry Vestibule		Exterior	B		36" Aluminum and Glass
13	Administrative Entry Vestibule	14	Administrative Corridor	B		36" Aluminum and Glass
14	Administrative Corridor	15	Administrative Area	D		36" Steel or Solid Core Wood ▪ Kick plate (push side)
14	Administrative Corridor	69	Sales Area	B or D		36" Aluminum and Glass or Steel or Solid Core Wood ▪ Kick plate (push side)
16	Employee Break Room	14	Administrative Corridor	D		36" Steel or Solid Core Wood ▪ Kick plate (push side)
17	Training Room	15	Administrative Area	D		36" Steel or Solid Core Wood ▪ Kick plate (push side)
18	Store Administrator's Office	15	Administrative Area	CSL		36" Steel or Solid Core Wood ▪ 12" wide sidelight w/ horizontal blinds
19	Store Manager	81	Checkout	E		36" Steel or Solid Core Wood ▪ Horizontal Blinds on Door Vision Window
20	Janitor's Closets	69 21	Sales Area Vestibule (Staging to Sales)	C		36" Steel or Solid Core Wood ▪ Kick plate (push side)
21	Vestibule (Staging to Sales)	37	Staging Area	FF		72" Traffic Door ▪ 94" –96" Tall Doors ▪ Steel Channel Door Frame
21	Vestibule (Staging to Sales)	69	Sales Area	FF		72" Traffic Door ▪ 94" –96" Tall Doors ▪ Steel Channel Door Frame or security grade 14 GA. steel frame w/ 1/4" steel plate at hardware attachment points

**DeCA DESIGN CRITERIA HANDBOOK
COMMISSARY DOOR SCHEDULE**

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
22 Administrative Storage	37 Staging Area	C		36"	Steel	▪ Kick plate (push side)
23 Damaged Merchandise	21 Vestibule (Staging to Sales)	CL		36"	Steel	▪ Kick plate (push side) ▪ Door Louver ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
25 Locker Room (Women)	48 Employee Break Room	C		36"	Steel or Solid Core Wood	▪ Kick plate (push side)
26 Employee Restroom (Women)	25 Locker Room (Women)	CL		36"	Steel or Solid Core Wood	▪ Kick plate (push side) ▪ Door Louver
27 Employee Restroom (Men)	28 Locker Room (Men)	CL		36"	Steel or Solid Core Wood	▪ Kick plate (push side) ▪ Door Louver
28 Locker Room (Men)	48 Employee Break Room	C		36"	Steel or Solid Core Wood	▪ Kick plate (push side)
29 Controlled Temperature Storage	21 Vestibule (Staging to Sales)	J		48"	Insulated Swing Door	▪ Safety Release Lock
30 Contract Stocker Storage	37 Staging Area	CC		72"	Steel	▪ Kick plates (push side) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame ▪ Use chain link gates if room is enclosed with chain link partition
31A Communications Room (CISIC)	15 Administrative Area	D		36"	Steel or Solid Core Wood	▪ Kick plate (push side) ▪ Storeroom Function Mortise Lockset ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
31B Communications Closet (CISIC)	48 Employee Break Room	CCL		72"	Steel or Solid Core Wood	▪ Storeroom Function Mortise Lockset ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
31 Mechanical Room	69 Sales Area 21 Vestibule (Staging to Sales)	C		36"	HM	▪ Kick plate (push side)
32 Sensitive Storage	37 Staging Area	CC		72"	Steel	▪ Kick plates (push side) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame ▪ Use chain link gates if room is enclosed with chain link partition
33 Operating Supply Storage	37 Staging Area	CC		72"	Steel	▪ Kick plates (push side) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame ▪ Use chain link gates if room is enclosed with chain link partition
34 Medical Food Inspection Office	37 Staging Area	E		36"	Steel	▪ Kick plate (push side) ▪ Horizontal Blinds on Door Vision Window
35 Receiving Manager's Office	37 Staging Area	E		36"	Steel	▪ Kick plate (push side) ▪ Horizontal Blinds on Door Vision Window
36A Receiving (Grade Level)	Exterior Overhead Door	OCD1		96"	Steel or Aluminum	▪ 10'-0" Tall Door with Canopy Above ▪ Insulated Door
36A Receiving (Recessed Dock)	Exterior Overhead Door	OCD2		96"	Steel or	▪ 9'-0" or 9'-4" Tall Door with Dock Leveler and

**DeCA DESIGN CRITERIA HANDBOOK
COMMISSARY DOOR SCHEDULE**

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
36A Receiving (Recessed Dock) Cont.					Aluminum	Dock Seal ▪ Insulated Door
36A Receiving		Exterior Personnel Door	D	36"	HM	▪ Kick plate (push side) ▪ Insulated Door
36A Receiving		Exterior Trash Platform	OCD2	72"	Steel or Aluminum	▪ 9'-0" or 9'-4" Tall Door with Canopy Above ▪ Insulated Door
36B Controlled Temperature Receiving Area	21	Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door ▪ Safety Release Lock
37 Staging Area		Exterior Personnel Door	D	36"	HM	▪ Kick plate (push side) ▪ Insulated Door
43A Produce Chilled Storage	21	Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door ▪ Safety Release Lock
43B Produce Chilled Storage (Gas)	43A	Produce Chilled Storage	GG	72"	Gasketed Traffic Doors	
44A Produce Processing	21	Vestibule (Staging to Sales)	GG	72"	Gasketed Traffic Doors	
44B Produce Ambient Storage	44A	Produce Processing	GG	72"	Gasketed Traffic Doors	
45 Produce Manager's Office	44A	Produce Processing	E	36"	Steel	▪ Kick plate (push side) ▪ Insulated Door ▪ Horizontal Blinds on Door Vision Window ▪ Provide door threshold
46 Seafood Display Area	69	Sales Area	D	42"	Steel or Solid Core Wood	▪ 48" High Kick plate (both sides)
47 Meat/Produce Operating Supply Storage	37	Staging Area	CC	72"	Steel	▪ 48" High Kick plate (both sides) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
48 Employee Break Room (Meat/Produce)	37	Staging Area	D	36"	Steel	▪ Kick plate (push side)
51 Employee Restroom	14	Administrative Corridor	C	36"	Steel or Solid Core Wood	▪ Kick plate (push side)
53 Employee Restroom	14	Administrative Corridor	C	36"	Steel or Solid Core Wood	▪ Kick plate (push side)
54 Receiving Aisle (Grade Level)		Exterior Overhead Door	OCD1	96"	Steel or Aluminum	▪ 10'-0" Tall Door with Canopy Above ▪ Insulated Door
54 Receiving Aisle (Recessed Dock)		Exterior Overhead Door	OCD2	96"	Steel or Aluminum	▪ 9'-0" or 9'-4" Tall Door with Dock Leveler and Dock Seal ▪ Insulated Door
54 Receiving Aisle		Exterior Personnel Door	D	36"	HM	▪ Kick plate (push side) ▪ Insulated Door
55 Meat Processing	37	Staging Area	K	Plastic Strip Curtain	72"	Insulated Sliding Door ▪ Safety Release Lock
55 Meat Processing	56	Meat Wrapping	GG	72"	Gasketed	

**DeCA DESIGN CRITERIA HANDBOOK
COMMISSARY DOOR SCHEDULE**

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
55 Meat Processing Cont.					Traffic Doors	
56 Meat Wrapping	58 Meat Restocking Aisle	GG		72"	Gasketed Traffic Doors	
56 Meat Wrapping	59 Bulk Meat Storage	GG		72"	Gasketed Traffic Doors	
57 Meat Manager's Office	57 Meat Wrapping	E		36"	Steel	<ul style="list-style-type: none"> ▪ Kick plate (push side) ▪ Insulated Door ▪ Horizontal Blinds on Door Vision Window ▪ Provide door threshold
59 Bulk Meat Storage	21 Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
61 Prepackaged Meat Chill Storage	21 Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
62 Poultry Chill Storage	21 Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
67 Dairy Chill Storage	21 Vestibule (Staging to Sales)	K	Plastic Strip Curtain	72"	Insulated Sliding Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
68 Frozen Food Storage	36B Controlled Temperature Receiving Area	K	Plastic Strip Curtain	72"	Insulated Sliding Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
69 Sales Area	Exterior Emergency Exit Door	C		36"	HM	<ul style="list-style-type: none"> ▪ Exit Lock with Alarm ▪ Insulated Door
69 Sales Area	Exterior Emergency Exit Door	CC		72"	HM	<ul style="list-style-type: none"> ▪ Exit Lock with Alarm ▪ Insulated Door
72 Bakery Service Area	69 Sales Area	D		42"	Steel or Solid Core Wood	<ul style="list-style-type: none"> ▪ 40" High Kick plate (both sides)
75 Bakery Chill Storage	21 Vestibule (Staging to Sales)	J		48"	Insulated Swing Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
76 Bakery Freezer	21 Vestibule (Staging to Sales)	J		48"	Insulated Swing Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
77 Deli Chill Storage	21 Vestibule (Staging to Sales)	J		48"	Insulated Swing Door	<ul style="list-style-type: none"> ▪ Safety Release Lock
78 Bakery/Deli Dry Storage	72 Bakery Service Area	C		36"	Steel	<ul style="list-style-type: none"> ▪ Kick plate (push side) ▪ Security grade 14 GA. steel door ▪ Security grade 14 GA. steel frame
78 Bakery/Deli Dry Storage Cont.						
80 Bagger Break Room	81 Checkout	D		36"	Steel or Solid Core Wood	<ul style="list-style-type: none"> ▪ Kick plate (push side)

BETWEEN ROOM NUMBERS:

ROOM	AND	DOOR TYPE	ADD. DOOR	NOMINAL OPENING	MATERIAL	REMARKS
83 Mechanical Mezzanine	37 Staging Area	OCD4		72"	Steel or Aluminum	▪ At Mezzanine Floor Level ▪ Provide Safety Chain Across Door Opening
83 Mechanical Mezzanine	Exterior Personnel Door	C		36"	HM	▪ Kick plate (push side) ▪ Insulated Door ▪ At Grade Level
84 Vendors Room	14 Administrative Corridor	D		36"	Steel or Solid Core Wood	▪ Kick plate (push side)
85 Seafood Chill Storage	46 Seafood Display Area	J		48"	Insulated Swing Door	▪ Safety Release Lock
86 Bagger Restroom	81 Checkout	C		36"	Steel or Solid Core Wood	▪ Kick plate (push side)
87 Perishable Manager	81 Checkout or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
88 Semi-Perishable Manager	81 Checkout or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
89 Zone Manager	81 Checkout or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
90 Region Management Support Office	81 Checkout or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
91 Region Management Support Office	81 Checkout or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
92 Conference Room	15 Administrative Area or Staging Area	E		36"	Steel or Solid Core Wood	▪ Horizontal Blinds on Door Vision Window
93 Cashier Locker / Break Room	81 Checkout	D		36"	Steel or Solid Core Wood	▪ Kick plate (push side)
94 Cashier Restroom	81 Checkout or Administrative Corridor	C		36"	Steel or Solid Core Wood	▪ Kick plate (push side)

Notes:

Door sizes and types contained in this Schedule are standard for the various areas within a Commissary. The number of doors and types may vary with size of the facility.

Refer to Design Standard Plate 081000-01 and 081000-02 "STANDARD DOOR TYPES" for door type information.

Brief Description of Door Types:

A Sliding Automatic Entrance Doors	CSL Flush Door with Sidelight	J Swinging Cold Storage Room Door
B Aluminum and Glass Swing Door	D Flush Door with View Glass	K Sliding Cold Storage Room Door
C Flush Door	E Flush Door with Half Glass	OCD Overhead Coiling Door
CC Flush Double Door	FF Traffic Door	
CL Flush Door with Louver	GG Traffic Door (Gasketed)	
CCL Flush Double Door with Louver	H Cashier's Door	